



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/573,614	03/28/2006	Dong Guoliang	19599 02US1	9784
30265 7590 05/20/2010 DAVID AND RAYMOND PATENT FIRM 108 N. YNEZ AVE., SUITE 128 MONTEREY PARK, CA 91754				
EXAMINER HARTMANN, GARY S				
ART UNIT		PAPER NUMBER		
3671				
MAIL DATE		DELIVERY MODE		
05/20/2010		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

***Response to Amendment***

The reply filed on 15 March 2010 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): the claims continue to recite a “system” in the preamble and extensive functional language in the body of claim 21. This matter has persisted throughout prosecution and has been discussed in Office actions previously; most recently in the Notice of Non-Responsive amendment mailed 18 February 2010. Correction must be made in order to address previous rejections under 112 2<sup>nd</sup> paragraph. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).**

For applicant's benefit in amending the claims in response to this Notice, it is noted that the only positively recited structure in claim 21 is a manway above a motorway. Any pedestrian bridge spanning a roadway upon which pedestrians are prohibited meets claim recitations.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary Hartmann whose telephone number is 571-272-6989. The examiner can normally be reached on Tuesday through Friday, 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Will can be reached on 571-272-6998. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gary Hartmann/  
Primary Examiner, Art Unit 3671